



ULTRA-FAST, UNINTERRUPTED DOUBLE-SIDED PRINTING

Reduce costs with the DX 4640_{PD}, the world's first double-sided CopyPrinter

For high-volume users wanting to accelerate print production and reduce costs, the Nashuatec DX 4640_{PD} CopyPrinter is a clear winner. This innovative product boosts productivity, enabling you to print both sides of an A4 page in a single pass, at an ultra-fast 240 prints per minute (ppm). It saves time and money by making high-volume, double-sided printing a simple, continuous process. The network-ready DX 4640_{PD's} flexible paper handling and advanced High Quality system give you the power to print outstanding quality documents on a variety of paper stocks up to A3 size. User-friendly and simple to operate, it offers the convenience of either desktop network printing or easy walk-up access.

The fast, affordable DX 4640 posignificantly relieves pressure in high-volume environments. It improves efficiency and profitability with extremely rapid, single-pass printing of double-sided documents, at a lower cost than other high-output multifunctional devices.









Extremely fast, automatic double-sided printing boosts high-volume productivity



Continuous uninterrupted high-volume printing with the optional large capacity system



Print documents in your preferred format with the easy-to-use RPCS printer driver



Ultra-fast, automatic double-sided printing

The Nashuatec DX 4640PD CopyPrinter is a breakthrough for busy departments and high volume environments with a regular need for fast, automatic double-sided printing. Now Operators can accelerate throughput and relieve pressure on other devices, by transferring longer print runs to the ultra-fast DX 4640PD.

Increase high-volume productivity

More jobs can now be processed in less time. The revolutionary DX 4640pb boosts print-room productivity with cost-efficient double-sided printing at an amazing 240 prints per minute (ppm). For uninterrupted high-volume printing, a massive 3,000 sheets can be handled via the optional large capacity system.

Low-cost, high-volume printing

The cost-saving benefits of double-sided printing become instantly available at high-volume with the DX 4640_{PD}. You can quickly save up to 50% of your paper costs, and double-sided jobs can be handled faster and more profitably with easy, single-pass printing.

Create impact with spot colour

Vivid spot colour can easily be added to your documents with the optional colour drum units. The DX 4640 pc can print at high speed on a variety of paper weights and sizes, plus single-sided A3 printing at a rapid 120 ppm. It offers users the flexibility to produce a wider range of colour-enhanced documents including newsletters, posters, menus, tickets and price lists, quickly and cost effectively at high volume.

Simple, effortless printing

The quick-start touch screen provides access to all key functions, making everyday operation extremely easy. Seamless integration into your existing document environment is straightforward with the network-ready DX 4640pp. Nashuatec's RPCS printer driver makes printing intuitive and effortless. Simply click on an icon to print previously saved or common output settings, such as double-sided or 2-Up, in one command. In addition, an optional embedded Hard Disk Drive offers a document library for instant recall of frequently used jobs, such as expense forms or letterheads.

Superb, consistent print quality

You can rely on the DX 4640rb to deliver outstanding quality day after day. Nashuatec's innovative High Quality system combines advanced master and ink technology with Automatic Pressure Control to balance ink density on every page, however challenging the operating conditions. It ensures professional looking output with crisp, flawless text and clean sharp imaging every time.

In Harmony with the Environment

Our products are designed to be kinder to the environment. We are committed to developing technologies that conserve energy and help prevent global warming. Our aim is to reduce the impact on the global environment, whilst continuing to enhance user comfort levels. The DX 4640po's double-sided printing saves paper and uses less power by printing both sides of the sheet in a single pass.

Outstanding Software and Services

Improving productivity, workflow efficiency and cost control is easy with Nashuatec. Designed to add value and ensure our devices operate seamlessly and reliably, we cover every aspect of your business from document management, network control and consultancy, to training and unrivalled support.

SPECIFICATIONS

DX 4640_{PD}



Printer

Printer language Standard: RPCS

Option: Adobe PostScript 3

Interface

Standard: USB2.0

Ethernet 10 base-T/100 base-TX Bi-directional IEEE 1284

Wireless LAN (IEEE802.11b)

Memory

Option:

Standard: 128MB (64MB resident +

64MB additional memory)

320MB (with optional Maximum:

128/256MB)

Network protocol

TCP/IP, IPX/SPX, Net BEUI, AppleTalk

Supported Environments

Windows 95/98/Me/NT4.0/2000/XP/

Server 2003

Macintosh 8.6 - 9.X (OS X Classic)¹

Macintosh X (10.1 - 10.4) (native mode)¹

General

Printing process

Digital, press roller system, printer

controller built-in

Originals Sheets/Books

Original size

Platen Glass: Maximum: 300 x 432mm

ARDF: A5 - A3

Print paper size

Minimum: 70 x 148mm Simplex:

Maximum: 325 x 447mm Duplex: 210 x 297mm (A4)

Print paper weight

47 - 210g/m² Simplex: Duplex: 64 - 105g/m²

Maximum print area

Simplex: 290 x 410mm 290 x 200mm Duplex:

Print speed

Simplex:

60 - 135 prints per minute (ppm) B4 and below

60 - 120 prints per minute (ppm) A3

Duplex:

120 - 240 prints per minute (ppm) A4

First print speed

Simplex: 12 seconds (A4) Duplex: 46 seconds (A4)

Resolution

600 x 400dpi Scanning: Printing: 400 x 400dpi

Image modes

Letter, photo, letter/photo, tint and pencil

Image position

Vertical: Simplex:

Duplex: ± 7.5mm

Horizontal: ± 10mm Minimum movable unit: 0.25mm

Reproduction ratios

50 - 200% (in 1% steps)

Colour printing

By using optional colour drum unit

Paper feed/delivery table capacity

1,000 sheets $[80g/m^2]$

Power source

220 - 240V, 50/60Hz

Power consumption

Master making: 340W Simplex:

Printing: 305W (at 135ppm)

Duplex: Master making: 430W

Printing: 385W (at 240ppm)

Energy saver mode: Less than 7W

Dimensions (W x D x H)

With platen covers

1,420 x 720 x 1,020mm

With ARDF:

1,420 x 720 x 1,130mm

Weight

With platen cover: Less than 118.5kg With ARDF Less than 126.5kg

Added Value Features

Combine/Image Repeat Mode, Margin Erase, User Codes, Confidential/Security Mode, Auto and Directional Magnification, Overlay Mode, Programme Mode, Class/Memory Mode, Makeup Function, Auto Density Control, Auto Shut Off Mode, A4 master cut with A3 drum and Skip Feed for Simplex Printing

High Volume Production Option

LS3000R - Large Capacity System

Configuration: Large capacity input tray & large capacity output tray

Paper feed/delivery tray capacity

3,000 sheets [80g/m²]

Print paper size

Minimum: 110 x 180mm Maximum: 325 x 447mm

Print paper weights

47 - 210g/m²

Other Options

TC-IIR - Twin Colour Printing System

50 sheet Auto Reverse Document Feeder

Colour Drum Units

40GB Hard Disk Drive

128/256MB memory

• Tape dispenser

¹ Adobe PostScript 3 option required.

Company management systems applied during the manufacturing of all Nashuatec products conform to IS09001 quality and IS014001 environmental

As an ENERGY STAR Program Participant, Nashuatec has determined that this product meets the ENERGY STAR guidelines for energy efficiency.

In compliance with EU RoHS directive (RoHS: Restriction of Hazardous Substances).

We reserve the right to make amendments to the technical specifications and external appearance of this equipment. Please note that the full range of machines and options shown in this publication may not always be available. All brand and product names are recognized and hereby acknowledged, as registered trademarks of their respective owners













Part of the NRG group

